

HARDWARE

FURNITURE HARDWARE AND KITCHEN ACCESSORIES

KITCHEN ACCESSORIES

**FURNITURE & CABINETS
HARDWARE**

SCREWS

D'Zine HANDLES COLLECTION

LOCKS





Limited Lifetime Warranty For Commercial Products

This Limited Lifetime Warranty is given to the initial purchaser of new commercial products purchased from your local distributor and its subsidiaries. The Limited Lifetime Warranty covers defects in materials and workmanship. The Limited Lifetime Warranty does not apply to defects resulting from misuse, damage or abuse, normal wear and tear, accident, modification, improper installation or maintenance, third party materials or damage during shipping. The Limited Lifetime Warranty is not transferable and does not cover any subsequent purchasers of the products.

During the Limited Lifetime Warranty period, your local distributor, will, at its option, repair or replace any defective products with a comparable product or component. This Limited Lifetime Warranty is for repair or replacement of defective products only and does not cover any other costs such as removal, installation, or other related expenses.

Information regarding the claimed defect and date of purchase of the product must be provided. Any defective product must be returned postage or freight prepaid to your local distributor.

This Limited Lifetime Warranty constitutes the only warranty for the products and all other warranties or representations, express or implied, by operation of law or otherwise, including but not limited to any implied warranty of merchantability or fitness for a particular purpose, are hereby expressly disclaimed.

This Limited Lifetime Warranty constitutes the sole remedy available with regard to any defective products. Your local distributor shall not be liable for an incidental, indirect, consequential or special damages, including without limitation, loss of time, inconvenience, or lost revenues or profits.

NÜVO™ Hardware
www.nuvoconcept.com

FURNITURE & CABINETS HARDWARE





HINGES



8mm Dowels



Screw-in





Self-Close

110°

NÜVO Hinge cover




Code 25-199-1



FULL OVERLAY CO-1517


		Code	Opening	Box
S		25-110-0	110°	250
S		25-110-1	110°	250

* RECOMMENDED SCREW NÜVO FLAT HEAD #6





HALF OVERLAY CO-1514

		Code	Opening	Box
S		25-110-2	110°	250




INSET CO-1512

		Code	Opening	Box
S		25-110-3	110°	250




FULL OVERLAY ADJ-2017 WITH CAM

		Code	Opening	Box
S		25-110-5	110°	250



HALF OVERLAY ADJ-2014 WITH CAM

		Code	Opening	Box
S		25-110-6	110°	250



INSET ADJ-2012 WITH CAM

		Code	Opening	Box
S		25-110-7	110°	250

HINGES



8mm Dowels



Screw-in




S/C Soft-Close


105°

NÜVO Hinge cover

Code 25-199-2




SOFT CLOSE




FULL OVERLAY SC-4717

	Code	Opening	Box
S/C	25-105-0	105°	200
S/C	25-105-5	105°	200



HALF OVERLAY SC-4714

	Code	Opening	Box
S/C	25-105-1	105°	200
S/C	25-105-6	105°	200



INSET SC-4712

	Code	Opening	Box
S/C	25-105-2	105°	200
S/C	25-105-7	105°	200




8mm Dowels



S Self-Close

90°




NÜVO Hinge cover

Code 25-199-1

90° ANGLE CO-2314

	Code	Opening	Box
S	25-090-0	90°	250




8mm Dowels



S Self-Close

45°




NÜVO Hinge cover

Code 25-199-1

45° ANGLE CO-2313


	Code	Opening	Box
S	25-045-0	45°	250



8mm Dowels



Screw-in



PIE-CUT CORNER

	Code	Box
	25-130-0	250


PLATE AJ NÜVO D2011JO

	Code	Box
	25-002-1	250

PLATE AJ NÜVO D2011J

	Code	Box
	25-102-1	250

HINGES



8mm Dowels





Self-Close




S/C Soft-Close

165°




FULL OVERLAY CO-3117

	Code	Opening	Box
S	25-165-0	165°	100




HALF OVERLAY CO-3114

	Code	Opening	Box
S	25-165-1	165°	250



INSET CO-3112

	Code	Opening	Box
S	25-165-2	165°	100



FULL OVERLAY SC-B-3127

	Code	Opening	Box
S/C	25-165-5	165°	100

Mounting plates for NÜVO hinges




Euro screw



Screw-in



NO SCREWS INCLUDED




MOUNTING PLATE FOR SELF-CLOSE HINGES

	Code	Box
Screw-in	25-000-7	250
Euro	25-191-0	250



EURO SCREWS INCLUDED



MOUNTING PLATE FOR SOFT-CLOSE HINGES

	Code	Box
Screw-in	25-001-1	200
Euro	25-193-0	200

Recommended Screw

- NÜVO Flat Head #6

DRAWER SLIDES

HEIGHT:
1-1/2" **NÜVO HIGH QUALITY EPOXY
DRAWER SLIDE**

COLOUR:
WHITE *Material: Cold rolled steel, epoxy coated*
Packaging: 25 pairs per box



Characteristics


- 3/4 extension self-closing drawer slide
- 32mm mounting hole pattern
- 75lb./34kg load rating
- Simple innovative design
- Side clearance: 1/2" (12.7mm) plus 1/32" minus 0" clearance each side
- 50,000 cycles test certified



NÜVO HIGH QUALITY EPOXY DRAWER SLIDE

Code	Length	Colour
25-223-5	14"	White
25-224-0	16"	White
25-224-5	18"	White
25-225-0	20"	White
25-225-5	22"	White

Installation Dimensions



*All measurements
are in millimeters.

Recommended Screw

- NÜVO Flat Head #6

DRAWER SLIDES

LOAD
CAPACITY:
100LB./
45KG

FULL EXTENSION BALL BEARING SLIDE

Packaging: 10 pairs per box



Characteristics



- Full extension ball bearing drawer slide
- 32mm hole pattern with breathing tabs
- 100lb./45kg load rating
- Positive stop for fully extended drawers
- Side clearance: 1/2" (12.7mm) plus 1/32"
- Hold-in feature to prevent bounce back
- Open access design for easy cabinet installation
- Steel ball bearing movement
- Lever disconnect for easy drawer removal
- Finish-Anochrome (ANO)
- 50,000 cycles test certified

FULL EXTENSION BALL BEARING SLIDE		
Code	Length	Colour
25-514-5	18"	Zinc
25-515-0	20"	Zinc
25-515-5	22"	Zinc



Code	Length	Colour
25-533-5	14"	Black
25-534-0	16"	Black


Installation Dimensions




*All measurements
are in millimeters.

Recommended Screws

- NÜVO Flat Head #6
- NÜVO Pan Head #8



Installation Demonstration



DRAWER SLIDES

LOAD
CAPACITY:
100LB./
45KG

SOFT-CLOSE FULL EXTENSION
BALL BEARING SLIDE

Packaging: 10 pairs per box




Characteristics


- Full extension drawer slide with integrated soft-close mechanism
- 32mm hole pattern with breathing tabs
- 100lb./45kg load rating
- Positive stop for fully extended drawer
- Side clearance: 1/2" (12.7mm) plus 1/32"
- Hold-in feature to prevent bounce back
- Open access design for easy cabinet installation
- Steel ball bearing movement
- Lever disconnect for easy drawer removal
- Finish-Anochrome (ANO)
- 50,000 cycles test certified

SOFT-CLOSE FULL EXTENSION BALL BEARING SLIDE





Code	Length
25-553-0	12"
25-553-5	14"
25-554-0	16"
25-554-5	18"
25-555-0	20"
25-555-5	22"
25-556-0	24"



Installation Dimensions



Installation Demonstration



***Installation Note:**
Screw locations to ensure a better performance.

*All measurements
are in millimeters.

Recommended Screws

- NÜVO Flat Head #6
- NÜVO Pan Head #8

DRAWER SLIDES

LOAD
CAPACITY:
100LB./
45KG

FULL EXTENSION "ADJUSTABLE" BALL BEARING SLIDE

Packaging: 10 pairs per box



Characteristics



- Full extension innovative adjustable design drawer slide
- 32mm hole pattern with breathing tabs
- 100lb./45kg load rating
- Positive stop for fully extended drawers
- Side clearance: 1/2" (12.7mm) plus 1/32"
- Hold-in feature to prevent bounce back
- Open access design for easy cabinet installation
- Steel ball bearing movement
- Lever disconnect for easy drawer removal
- Finish-Anochrome (ANO)
- 50,000 cycles test certified

FULL EXTENSION "ADJUSTABLE" BALL BEARING SLIDE

Code	Length	Colour
25-522-5	10"	Zinc
25-523-0	12"	Zinc
25-523-5	14"	Zinc
25-524-0	16"	Zinc
25-524-5	18"	Zinc
25-525-0	20"	Zinc
25-525-5	22"	Zinc
25-526-0	24"	Zinc
25-526-5	26"	Zinc
25-527-0	28"	Zinc



Code	Length	Colour
25-544-5	18"	Black
25-545-0	20"	Black



Recommended Screws

- NÜVO Flat Head #6
- NÜVO Pan Head #8

*All measurements
are in millimeters.

DRAWER SLIDES

LOAD
CAPACITY:
66LB./
30KG

SOFT-CLOSE FULL EXTENTION
UNDERMOUNT SLIDE

Packaging: 10 pairs per box




Characteristics

- Full extension smooth closing undermount drawer slide
- 32mm hole pattern with breathing tabs
- 66lb./30kg load rating
- Soft sliding with lateral stability
- Complete with front locking clips
- Vertical height adjustment of 3mm without tools
- Easy mounting and removal
- 50,000 cycles test certified

SOFT-CLOSE FULL EXTENTION UNDERMOUNT SLIDE

Code	Length	Colour
25-623-0	12"	Silver
25-623-5	14"	Silver
25-624-0	16"	Silver
25-624-5	18"	Silver
25-625-0	20"	Silver
25-625-5	22"	Silver
25-621-0	Attachment brackets available separately	

Installation Demonstration



1 Assemble the clips on the bottom of cabinet

2 Assemble the left and right slide on each side of cabinet

3 Pull out the left and right drawer slide

4 Put the drawer on the top of the slides


5 Close the drawer

Recommended Screws


- NÜVO Flat Head #6
- NÜVO Pan Head #8

DRAWER SLIDES

Drawer Assembly Dimensions



Installation Dimensions




*All measurements
are in millimeters.

DRAWER SLIDES

LOAD
CAPACITY:
66LB./
30KG

SOFT-CLOSE FULL EXTENSION
UNDERMOUNT SLIDE

Packaging: 10 pairs per box





HORIZONTAL AND VERTICAL
ADJUSTMENTS

Characteristics

- Full extension smooth closing undermount drawer slide
- 32mm hole pattern
- 66lb./30kg load rating
- Soft sliding with high lateral stability
- Complete with front locking clips
- Full vertical and horizontal adjustability
- Vertical 3mm and horizontal 2mm adjustments without tools
- Easy mounting and removal
- 50,000 cycles test certified

SOFT-CLOSE FULL EXTENSION UNDERMOUNT SLIDE		
Code	Length	Colour
25-673-0	12"	Silver
25-673-5	14"	Silver
25-674-0	16"	Silver
25-674-5	18"	Silver
25-675-0	20"	Silver
25-675-5	22"	Silver
25-671-0	Attachment brackets available separately	

Drawer Assembly Dimensions




Recommended Screws


- NÜVO Flat Head #6
- NÜVO Pan Head #8

DRAWER SLIDES

Drawer Assembly Dimensions



Installation Dimensions



DRAWER SYSTEMS

LOAD
CAPACITY:
75LB/
34KGEURO NÜVO
METAL BOX DRAWER SLIDE


Front facing brackets included

Packaging: 10 pairs per box



Characteristics

- Self-close and 3/4 extension drawer slide
- Extra smooth operation
- 75lb./34kg load rating
- Front facing brackets included in price
- 50,000 cycles test certified

Drawer Assembly and
Installation Dimensions

EURO NÜVO METAL BOX DRAWER SLIDE - 86MM

White no dowel	Length	Qty / Box
25-313-5	14"	10 pairs
25-314-0	16"	10 pairs
25-314-5	18"	10 pairs
25-315-0	20"	10 pairs
25-315-5	22"	10 pairs

EURO NÜVO METAL BOX DRAWER SLIDE - 118MM

White no dowel	Length	Qty / Box
25-333-0	12"	10 pairs
25-333-5	14"	10 pairs
25-334-0	16"	10 pairs
25-334-5	18"	10 pairs
25-335-0	20"	10 pairs
25-335-5	22"	10 pairs
25-336-0	24"	10 pairs

EURO NÜVO METAL BOX DRAWER SLIDE - 150MM

White no dowel	Length	Qty / Box
25-354-5	18"	10 pairs
25-355-0	20"	10 pairs
25-355-5	22"	10 pairs

EURO NÜVO METAL BOX DRAWER SLIDE - 200MM

White no dowel	Length	Qty / Box
25-374-0	16"	10 pairs
25-374-5	18"	10 pairs
25-375-0	20"	10 pairs
25-375-5	22"	10 pairs

FRONT FACE ATTACHMENT WITH DOWEL

Code	Qty / Box	For Heights
25-400-0 with dowels	100 pairs	86mm / 118mm / 150mm
25-400-1 with dowels	100 pairs	200mm
25-400-2 Screw-in front face attachment	100 pairs	86mm / 118mm / 150mm
25-400-3 Screw-in front face attachment	100 pairs	200mm


DRAWER SYSTEMS

LOAD
CAPACITY:
77LB./
35KG

NÜVO-PRO DOUBLE WALL DRAWER SLIDE SYSTEM

Front and back assembly brackets included

Packaging: 1 pair per box



Characteristics

- Full extension smooth closing drawer slide
- 32mm hole pattern
- 77lb./35kg load rating
- System from innovative European design
- Drawer wall height 86mm
- Soft-sliding with high lateral stability
- Integrated 3D front adjustment for quick installation and precise alignment
- Easy mounting and removal
- 50,000 cycles test certified



Accessories

(to increase drawer height)

- Lateral tubes kit
- Back ties included



* C164mm Kit = 2 lateral tubes with brackets

* C204mm Kit = 4 lateral tubes with brackets

Recommended Screws

- NÜVO Flat Head #6
- NÜVO Pan Head #8

NÜVO-PRO DOUBLE WALL DRAWER SLIDE SYSTEM

Code	Sizes	Colour
23-104-0	86 x 400mm	Silver front-face attachment / screw in
23-104-1	86 x 400mm	Silver front-face attachment / with dowels
23-104-5	86 x 450mm	Silver front-face attachment / screw in
23-104-6	86 x 450mm	Silver front-face attachment / with dowels
23-105-0	86 x 500mm	Silver front-face attachment / screw in
23-105-1	86 x 500mm	Silver front-face attachment / with dowels
23-105-5	86 x 550mm	Silver front-face attachment / screw in
23-105-6	86 x 550mm	Silver front-face attachment / with dowels
23-106-0	86 x 400mm	White wall drawer / screw in
23-106-1	86 x 400mm	White wall drawer / with dowels
23-106-5	86 x 450mm	White wall drawer / screw in
23-106-6	86 x 450mm	White wall drawer / with dowels
23-107-0	86 x 500mm	White wall drawer / screw in
23-107-1	86 x 500mm	White wall drawer / with dowels
23-107-5	86 x 550mm	White wall drawer / screw in
23-107-6	86 x 550mm	White wall drawer / with dowels

FRONT ATTACHMENT BRACKETS WITH DOWELS - CODE: 23-111-0

ACCESSORIES (to increase drawer height)

Code	Dimensions	Colour
23-124-0	C164 X 400mm	Silver
23-124-5	C164 X 450mm	Silver
23-125-0	C164 X 500mm	Silver
23-125-5	C164 X 550mm	Silver
23-134-0	C204 X 400mm	Silver
23-134-5	C204 X 450mm	Silver
23-135-0	C204 X 500mm	Silver
23-135-5	C204 X 550mm	Silver

NÜVO-PRO KITS (to increase drawer height)

23-424-0	C164 X 400mm	White
23-424-5	C164 X 450mm	White
23-425-0	C164 X 500mm	White
23-425-5	C164 X 550mm	White
23-434-0	C204 X 400mm	White
23-434-5	C204 X 450mm	White
23-435-0	C204 X 500mm	White
23-435-5	C204 X 550mm	White

* ACRYLIC DRAWER SIDES

Code	Dimensions
23-314-0	164 x 400mm
23-314-5	164 x 450mm
23-315-0	164 x 500mm
23-315-5	164 x 550mm
23-324-0	204 x 400mm
23-324-5	204 x 450mm
23-325-0	204 x 500mm
23-325-5	204 x 550mm

* ACRYLIC DRAWER SIDE CONNECTORS

Code	Dimensions	Colour
23-300-1	164mm	Silver
23-300-2	204mm	Silver
23-300-3	164mm	White
23-300-4	204mm	White

* Drawer sides and drawer side connectors are sold separately.

DRAWER SYSTEMS

INTERIOR STYLE DRAWER SYSTEM
FOR THE NÜVO PRO PRODUCT LINE

Characteristics

- The set is made of front corner brackets (sold by pair) and a silver metal front to be cut to the required width. The front portion is sold as a separate item.
- These sets will allow your customers to make interior style drawer heights of 86 – 140 – 164 or 204mm.
- The silver front metal portion comes in 1100mm lengths which is cut to the required width by your customer.
- For heights of more than 86mm you might want to add a tube that is sold in lengths of 1100mm to be cut to the required length. A handle is also available.



NÜVO-PRO ENG FRONT				
Code	Length	Colour	Height	Qty / Box
23-112-0	1100mm	Silver	86mm	Per Unit



NÜVO-PRO ENG FRONT CORNER BRACKETS		
Code	Colour	Qty / Box
23-112-1	Grey	Pair



NÜVO-PRO ENG FRONT CORNER BRACKETS		
Code	Colour	Qty / Box
23-112-2	Grey	Pair



NÜVO-PRO ENG FRONT CORNER BRACKETS		
Code	Colour	Qty / Box
23-112-3	Grey	Pair



NÜVO-PRO ENG FRONT CORNER BRACKETS		
Code	Colour	Qty / Box
23-112-4	Grey	Pair



NÜVO-PRO ENG FRONT PANEL HANDLE		
Code	Colour	Qty / Box
23-112-5	Grey	Per Unit



NÜVO-PRO ENG FRONT PANEL TUBE			
Code	Length	Colour	Qty / Box
23-112-6	1100mm	Silver	Per Unit



NÜVO™

HARDWARE
nuvoconcept.com

DISTRIBUTORS



**COMMONWEALTH PLYWOOD
DISTRIBUTION**

commonwealthplywood.com



TORONTO
25 Dansk Court
Rexdale, ON M9W 5N6
(416) 675-3266
(800) 268-696

LONDON
1010 Green Valley Road
London, ON N6N 1E3
(519) 681-5304
(800) 265-6003

NORTH BAY
12 Old Sturgeon Falls Road
North Bay, ON P1B 8G5
(705) 495-3166
(800) 461-3211

WATERLOO
100 Randall Drive
Waterloo, ON N2J 4A9
(519) 885-2810
(800) 563-6081

BOUCHERVILLE
100 rue de Vaudreuil
Boucherville, QC J4B 5G4
(514) 527-4581
(800) 361-7000

QUEBEC
5850 rue des Tournelles
Quebec, QC G2J 1E4
(418) 624-1515
(877) 624-1515

OTTAWA
2950 Swansea Crescent
Ottawa, ON K1G 3W4
(613) 688-2280
(877) 536-2280



Robert Bury & Company

robertbury.com



BRAMPTON
89 Summerlea Road
Brampton, ON L6T 4V2
(905) 790-2879
(800) 268-1716

PETERBOROUGH
2001 Fisher Drive
Peterborough, ON K9J 7H7
(705) 745-1335
(800) 461-1944

DARTMOUTH
30 Williams Avenue
Dartmouth, NS B3B 2E2
(902) 468-3555
(800) 565-7200

MONCTON
135 Driscoll Crescent
Moncton, NB E1E 4C8
(506) 857-9903
(800) 561-7199

WALPOLE
1 Mill Pond Road
Walpole, MA 02081
(508) 660-2879
(800) 509-4633

WINNIPEG
1865 Burrows Avenue
Winnipeg, MB R2X 2V9
(204) 632-1161
(888) 632-1161

ST-LAURENT
3500 Pitfield
St-Laurent, QC H4S 1W1
(514) 745-0260
(800) 363-0562

QUEBEC
5300 Armand Viau
Quebec, QC G2C 1Y7
(418) 872-2879
(800) 361-2879

OTTAWA
1881 Bantree Street
Ottawa, ON K1B 4X3
(613) 747-2879
(800) 267-2354



distnortra.com

10100 boulevard du Golf
Anjou, QC H1J 2Y7
(514) 351-1771
(800) 363-5953



RAYETTE FOREST PRODUCTS

rayetteforestproducts.com

60 Rayette Road
Concord, ON L4K 2G4
(416) 661-0831
(800) 268-1963



produitsforestierscjp.com

730, rue Delage
Longueuil, QC J4G 2V8
(450) 928-9990
(888) 535-5424

1255, rue des Artisans
Quebec, QC G1N 4T8
(418) 871-0411
(877) 773-7070



W.C. EDWARDS LUMBER

955 Mackay Street
Pembroke, ON K8B 1A2
(613) 732-7337



eroko.com

ABBOTSFORD
#1 - 31035 Wheel Avenue
Abbotsford, B.C. V2T 6G7
(604) 859-5920
(844) 78E-ROKO

NANAIMO
8 - 4115 Mostar Rd
Nanaimo, B.C. V9T 6A6
(250) 758-7359
(800) 661-6336

KELOWNA
3488 Velocity Avenue
Kelowna, B.C. V1V 3C2
(250) 491-1772
(800) 665-8481

VANCOUVER
3150 Lake City Way
Burnaby, B.C. V5A 3A4
(604) 420-9599
(800) 663-2675

SEATTLE
21506 86th Ave South
Kent, WA 98031
(253) 395-3535
(800) 99E-ROKO

VICTORIA
609 Alpha Street
Victoria, B.C. V8Z 1B5
(250) 383-1944
(800) 663-6625

CALGARY
4310 12th Street NE
Calgary, AB T2E 6K9
(403) 769-0129
(800) 665-6187



DISTRIBUTED BY:

